

10/579, 154

	Type	L #	Hits	Search Text	DBs
4	BRS	L4	221850	(counter or control) with electrode	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
5	BRS	L5	216719 5	4 width	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
6	BRS	L6	5535	4 with width	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
7	BRS	L7	224	6 with ratio	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B

10/579,184

	Time Stamp	Comments	Error Definition	Errors
4	2007/08/05 22:04			
5	2007/08/05 22:04			
6	2007/08/05 22:04			
7	2007/08/05 22:04			

10/579,134

	Type	L #	Hits	Search Text	DBs
8	BRS	L8	6	7 and "347"/\$.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
9	BRS	L9	253	4 with hydrophobic	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
10	BRS	L10	4	9 and "347"/\$.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
11	IS&R	L11	1781	((347/20) or (347/54) or (347/55)).CCLS.	USPAT
12	IS&R	L12	972	((347/45) or (347/46) or (347/47)).CCLS.	USPAT

10/579,184

	Time Stamp	Comments	Error Definition	Errors
8	2007/08/05 22:12			
9	2007/08/05 22:11			
10	2007/08/05 22:11			
11	2007/08/05 22:13			
12	2007/08/05 22:13			